

5.0 Twin Flow cod.14793

Technical specifications

AR Code	14793
Max Pressure (bar)	160
Max Pressure (psi)	2300
Max flow (lph)	850
Max flow (gph)	225
Power (Kw)	2.7
RPM	3400
Power (Hz)	50-60
Power (V)	220-230
Unit size (mm) LxWxH	387x388x895
Packaging size	420x395x770
Net weight (Kg)	14.6
Pallet qty	10
20 feet container qty	210
40 feet container qty	435
Truck qty	330











Product details

5.0 Twin Flow is the ARBC high pressure washer equipped with **DTS** (**Dualtech System**), the AR patented technical system which gives you the washing power of **two motorpumps** when you need it.

Choose *fast cleaning* mode (*2 power units*) to improve performances by 50% (Washing Performance Power +50%). The double flow rate enhances washing results by intensity and extent, allowing you to reach two goals: excellent cleaning of the toughest dirt, saving time and effort; washing in the fastest time the largest and highest surfaces, since the water jet height is up to 5 m. Choose this mode when you need to get rid of the toughest dirt and stains from stone and cement flooring, brick walls and sidings, roofs or construction applications. Activate *1 power unit* when you need to remove light dirt from bicycles, motorcycles, cars, fences, outdoor furniture and sun shades, without wasting extra water and energy.

5.0 Twin Flow is equipped with **Twin Nozzle**, the must-have lance accessory, included inside the packaging, that will boost wide surfaces cleaning performance, saving your time and effort. It is perfect to wash concrete or brick walls, floorings and pools in a very efficient way.

5.0 Twin Flow is fitted with integrated in pressure hose reel with foldable hose reel handle; 8 mt HP textile hose; telescopic handle with soft hand grip; in-built HP detergent holder (600 ml); all in-one pocket storing for rotary nozzle, adjustable nozzle, twin nozzle; extra lance docking slot; balanced rubber wheels (Ø 20 cm); inspectable water intake filter; electric cable lenght 5 m; 2 three axial stainless steel pistons wobble-plate pumps with aluminium head; automatic by-pass valve with pump head pressure discharge; remote control for total shut-down of high pressure washer (TSS).

















