





KITS



PUMPS



METERS



NOZZLES

# OCIO 2.0

# **FEATURES**

- · LOW/HIGH LEVEL ALARMS
- FLUID QUANTITY INDICATION
- FLUID HEIGHT INDICATION
- BUILT-IN DISPLAY
- COMPATIBLE WITH SSM 2.0, MCO 2.0 AND B.SMART

With its brand-new design, OCIO 2.0 by PIUSI is the upgraded version of the tank level indicator compatible with SSM 2.0 and MCO 2.0 systems. It requires a LAN/Wi-Fi connection to communicate with the software. It maintains all the performances of the standard OCIO. Thanks to its interchangeable probe, OCIO 2.0 is compatible with several fluids.

#### **PERFORMANCE**

UP TO

4MT

HEIGHT

TANK

UP TO
50 MT
LENGTH
PROBE TUBE

± 1%

FULL SCALE

ACCURACY

JP TO

30 CST

VISCOSITY





PACKAGING							
	WEIGHT		PACKAGING				
CODE	KG	LBS	ММ	INCH	PCS/BOX		
F00755260	2,2	4,8	300X410X100	11,8X16,1X3,9	1		
F00755220	2,2	4,8	300X410X100	11,8X16,1X3,9	1		
FOO75521A	2,2	4,8	300X410X100	11,8X16,1X3,9	1		













HOSE REEL ACCESSORIES MERCHANDISE

## **INDEX**

























## CONNECTION



#### IN THE BOX

- · OCIO 2.0
- PROBE
- 10 MT TUBE
- · INSTRUCTION MANUAL

#### **DETAILS**










### **MATERIALS**

• PROBE: BRASS

• TUBE: TECHNOPOLYMER

#### **FUNCTIONING**



TECHNICAL DATA							
CODE	DESCRIPTION		VISCOSITY	VOLT	AGE		
		FLUIDS TYPE	cSt	AC V./HZ	POWER WATT	RS EXIT	
F00755260	LEVEL INDICATOR OCIO MC 2.0	<b>(3)</b> (3) (4) (4)	UP TO 30	230-50/60	20	REQUIRED	
F00755220	LEVEL INDICATOR OCIO RS485 2.0	<b>(3)</b> (3) (4) (9)	UP TO 30	230-50/60	20	REQUIRED	
FOO75521A	LEVEL INDICATOR OCIO WIFI 2.0	<b>(A)</b> (B) (D) (O) ((P)	UP TO 30	230-50/60	20	REQUIRED	



# TANK LEVEL INDICATORS

OCIO	CODE	DESCRIPTION	
	F1391300A	KIT 50 MT OCIO PIPE D.6X4	
			F1391300A

OCIO 2.0	CODE	DESCRIPTION	
	F1391300A	KIT 50 MT OCIO PIPE D.6X4	
			O
			F1391300A